



# DCM GAZON PUR®

NPK 8-4-20 + 3 MgO

## Composition

COMPOUND ORGANO-MINERAL LAWN FERTILISER

NPK (Mg) 8-4-20 (3)

8%	NITROGEN TOTAL (N) of which: 4% urea nitrogen 4% organically bound nitrogen
4%	PHOSPHORIC ANHYDRIDE (P <sub>2</sub> O <sub>5</sub> ) total, soluble in mineral acid
20%	POTASSIUM OXIDE (K <sub>2</sub> O) soluble in water
3%	MAGNESIUM OXIDE (MgO) soluble in mineral acid
35%	ORGANIC SUBSTANCE



## Characteristics

- lawn fertilizer with indirect action against moss: the moss gradually turns yellow and can easily be removed after 2 to 3 weeks by combing or scarifying
- does not contain iron sulphate; does not stain tiles or clothing
- with potassium (20% K<sub>2</sub>O) for a strong and dense turf, better resistance of the grass to drought, frost and treading
- with magnesium (3% MgO) for a deep green grass colour
- long and uniform operation (100 days) for homogeneous growth, without additional mowing sessions
- organic nutrients are gradually released by the soil life + formation of humus for better rooting and less leaching

## Form

**MINIGRAN®** TECHNOLOGY = a microgranule with dimensions between 800 and 2500 micron, of which at least 80 % between 1000 and 2000 micron

- homogeneously composed mini-granule
- up to 60 % more efficient distribution for uniform colour and growth
- faster starting activity with the same long extended release
- with easily assimilable organic phosphorus sources for improved root development
- low in odour, practically dust-free application
- easy to apply with all measuring devices and professional spreaders

## Packaging

bags of 25 kg – 36 bags/euro-pallet (= 900 kg)





# DCM GAZON PUR®

NPK 8-4-20 + 3 MgO

## Instructions for use

Use **DCM GAZON PUR®** preferably after mowing, in humid weather and a temperature higher than 10°C. In dry and warm weather, irrigate after application. Apply the highest dose on light sandy soils and play lawns and use the lowest dose on heavy clay soils and ornamental lawns

- spring lawn without moss ..... 3 - 5 kg/100 m<sup>2</sup>
- spring lawn with moss ..... 5 - 10 kg/100 m<sup>2</sup>
- summer ..... 3 - 5 kg/100 m<sup>2</sup>
- autumn lawn without moss ..... 4 - 5 kg/100 m<sup>2</sup>
- autumn lawn with moss..... 6 - 8 kg/100 m<sup>2</sup>

If necessary, scarify after 2-3 weeks to remove the dead moss.

With very strong moss growth: additional application after scarifying (10 kg/100 m<sup>2</sup>) to tackle other moss residues.

An application of **DCM GAZON PUR®** in the fall strengthens the lawn for the winter and prevents excessive moss growth in the following spring.

The exact dose depends on the needs of the grass, the moment of application, the nutrient reserve in the soil and the intensity of watering. Ask us for specific advice, adapted to your lawn.

## Extra tip

Moss often grows on acidic soil. Avoid acidic soil and moss growth by liming annually with DCM GROEN-KALK®. This lime improves the acidity of the soil and contains 15% magnesium (MgO) for a deep green grass colour. DCM GROEN-KALK® dose = 10 - 15 kg/100 m<sup>2</sup>

DCM products meet the nutritional values indicated on their packaging and/or the technical data sheets, and are fully traceable. Product advice is intended to be used for informative purposes only and does not imply any commitment or agreement. The instructions for use are based on many years of practical experience and research. Each plant and each cropping system has its own nutritional requirements. The time of application, nutrient reserves in the soil/growing medium and statutory fertilization standards are also important in determining fertiliser application rates. It is advisable (good practice) to always test new product applications on a small scale first. Fertilisers may cause EC to increase and can affect the pH level. All of these factors are essential to consider when using one fertiliser product or when combining different fertilisers. Growing media to which fertiliser products have been added should be used as soon as possible after delivery. DCM accepts no liability for consequential damage caused by the use of its products.

TECHNICAL DATA SHEET FOR EXPORT - EXEN-NSJ-250402